

DAADIMAADI CHURNA - A MEDICINE IN ARUCHI (LOSS OF APPETITE) IN CHILDREN

Priyanka Sharma¹, Veena K. H², Mohit Narwal³

¹Final year P.G. Scholar; ²Reader; ³2nd year P.G. Scholar;

Department of Kaumarbhritya KAHER's Shri. B.M.K. Ayurved Mahavidyalaya, Shahpur, Belagavi, Karnataka, India

Email: priyanka.sharma210390@gmail.com

ABSTRACT

Appetite means desire for food or drink, a desire to satisfy bodily needs. In children for proper growth and development proper intake of food is needed which depends on appetite. Loss of appetite is when your desire to eat is reduced. In Ayurveda loss of appetite can be considered as aruchi, in which individual suffers from loss of taste in food and loss of appetite. *Daadimaadi churna* is one medicine indicated in *Aruchi* (Loss of Appetite). It was explained in *Bhaishajya Ratnavali* in *aruchi rogadohikara*. *Daadimaadi churna* helps in increasing appetite and improves taste in children. It contains *Daadima beeja* (*Punica Granatum*), *Twaka* (*Cinnamomum zeylanicum*), *Sukshama ela* (*Elettaria Cardamomum*), *Tejapatra* (*Cinnamomum Tamala*) and *Sharkara* (*Saccharum Officinarum*).

Keywords: *Daadimaadi Churna*, *Aruchi*, Loss of Appetite, *Daadima beeja*

INTRODUCTION

Growth is an essential feature that distinguishes a child from an adult. The terms "Growth" & "Development" are often used together, but are not interchangeable because they represent two different facets of dynamics of change, i.e. quantity & quality. In order to maintain proper growth and development, appetite of an individual is of utmost important.¹ Loss of appetite is when your desire to eat is reduced.² Loss of appetite or dyspepsia is very common symptom found in pediatric age group accounting to 50%

children and it is seen in association with constipation, worm infestation, vitamin B12 deficiency, UTI which are very common problems in children.³ In *Ayurveda* it can be considered as *Aruchi*. *Aruchi* is a condition in which, an individual is not interested to eat food and it is mainly *rasa pradoshaja vikara*. *Kapha & rasa dushti* is predominantly present in *Aruchis*.⁴ *Daadimaadi choorna* is one of the *Ayurvedic* medicine indicated in *Aruchi*. It was explained in *Bhaishajya Ratnavali* in *aruchi rogadohikara*.⁵

Table 1: COMPOSITION OF *DAADIMAADI CHURNA*⁵

S N	Name of Ingredients	Botanical name	Part Use	Qty
1	<i>Daadima Beeja</i>	<i>Punica Granatum</i>	Fruit	2 part
2	<i>Twak</i>	<i>Cinnamomum zeylanicum</i>	Bark	1 part of whole drug (Equal quantity of all drugs)
3	<i>Sukshma ela</i>	<i>Elettaria Cardamomum</i>	Fruit	
4	<i>Tejapatra</i>	<i>Cinnamomum Tamala</i>	Leaves	
5	<i>Sharkara</i>	<i>Saccharum Officinarum</i>	Exudate	3 part

Preparation Method

- Take all ingredients in powder form.
- Mix all ingredients in above quantity.
- Mix them till homogenous mixture.
- Keep in air tight container

Anupan: *Ushna jala*

Dose: Before food (BF) or with first bolus of food TDS According to age like (Sharangdhar Samhita purva-khanda)

Age	Drug dose
3y	3gm
4y	4gm
5y	5gm
6y	6gm
7y	7gm
8y	8gm and so on

Indication: *Aruchi* (Loss of Appetite)

The different properties and the characters of the various ingredients of the drug are as mentioned below:

a) Daadima beeja⁶

Latin name – *Punica Granatum*

Family - Punicaceae

Sanskrit synonyms - *Phalamla*

Hindi name – *Anardana*, *Anar*

English name - Pomegranate

Botanical Description: *Daadima* is a shrub or small tree deciduous glamerous, often spinescent branclets.

Leaves – opposite or subopposite, often fascicled on short petioles, oblong or obovate.

Fruits- large globules, crowned by the somewhat tubular limb of the calyx, with a coriaceous rind; pulp red and juicy, sometimes white and seeds are angular.

Ayurvedic Pharmacodynamics

Rasa – *Kashaya*, *Amla*, *Madhura*

Guna – *Laghu*, *Snigdha*

Virya - *Ushna*

Vipaka – *Madhur/Amla*

Dosha karma- *Tridosh hara*

Karma – *Rochan*, *Hridya*, *Tridoshhara*, *Grah*

Parts used – Seed

b) Twak⁷

Latin name – *Cinnamomnm zeylanicum* (*T. Nees*)

Family - Lauraceae

Sanskrit synonyms – *Twak*, *Darusita*, *Varanga*

Hindi name – *Dalachini*, *Daruchini*

English name – Cinnamon

Botanical Description – Small, aromatic tree, sometimes attained a height of 20-25 ft. and sometimes 60 ft.

Leaves sub-opposite, variable, large oblong low levels, small and oval at high levels with intermediate sizes and forms.

Flower on long peduncles, clustered; brown, in lax panicles.

Fruit dark purple, 1.9 cm. long, oblong, ovoid, supported by ribbed accrescent, perianth.

Bark reddish brown with watery exarecences, rough 1-9

cm. thick, soft, inner blaze brown aromatic.

Ayurvedic Pharmacodynamics

Rasa – *Katu*, *Tikta*, *Madhura*

Guna – *Laghu*, *Ruksha*, *Tikshna*

Virya - *Ushna*

Vipaka - *Katu*

Dosha karma - *Kaphavatashamak*

Parts used – Bark

c) Sukshma Ela⁸

Latin name – *Elettaria Cardamomum* (*T. Nees.*)

Family - Zingiberaceae

Sanskrit synonyms – *Korangi*, *Triputa*

Hindi name – *Choti Illaychi*

English name – Lesser Cardamom

Botanical Description – A annual herb; rootstock thick, leafy stem, 2.5-4 cm long.

Leaves oblong-lanceolate, pubescent beneath.

Flowers shortly pedicelled; calyx cylindric, membranous, shortly lobed; corolla-tube shortly exerted, lip larger than the corolla-segments, white sheathed with violet.

Fruit subglobose or oblong capsules.

Ayurvedic Pharmacodynamics

Rasa – *Katu*, *Madhur*

Guna – *Laghu*, *Ruksha*

Virya - *Sheeta*

Vipaka - *Madhur*

Dosha karma – *Tridosh-shamak*

Parts used – Fruit

d) Tejapatra⁹

Latin name – *Cinnamomnm Tamala* (*Nees.*)

Family - Lauraceae

Sanskrit synonyms – *Patraka*

Hindi name – *Tejapatta*, *tamalpatra*

English name – Bay leaf

Botanical Description – A moderate-sized tree attaining a height upto 25 ft.

Leaves glabrous, usually 10-13 cm. long, very variable in breadth, opposite, rarely alternate, shining above, leathery, rarely elliptical and obtuse, 3-nerved from the base.

Flowers unisexual numerous 0.5-0.6 cm. long.

Fruit 1.25 cm. long, peduncle and calyx small, 1.25 cm. and the later usually 0.6 cm. diameter with truncate lobes; drupes ovoid, globose, black when ripe, seated on persistent base of perianth.

Ayurvedic Pharmacodynamics**Rasa** – Tikta, Madhur**Guna** – Laghu, Tikshna**Virya** - Ushna**Vipaka** - Katu**Dosha karma** – Vatakaphashamak**Parts used** – Patrae) **Sharkara**^{10,11}**Latin name** – Saccharum Officinarum**Family** - Poaceae**Sanskrit synonyms** – Sharkara**English name** – Sugar**Description** – When the solid form of *ikshurasa* is refined it forms *sharkara*, which is commonly uses as sugar. It is in crystal form and white in colour.**Ayurvedic Pharmacodynamics****Rasa** – Madhur**Guna** – Guru, Singhdha,**Virya** - Sheeta**Vipaka** - Madhur**Dosha karma** - Vatapittashamak**Parts used** – Exudate**CONCLUSION**

Loss of appetite is a symptom and not a disease commonly found in children in which loss of desire of food and loss of food taste are symptoms. In Ayurveda, it can be correlated with *Aruchi*. It can be physiological or psychological. *Daadimaadi churna* is one of medicine for *Aruchi* from *ayurvedic* classics. It can be taken in *Ayurvedic* practice. It is easy to prepare & dispense due to *churna* form and also due to sweet taste it is easily palatable in children.

REFERENCES

1. Ref-Vinod Paul and Arvind Bagga, Ghai Essential Pediatrics CBS publications 8th edition 2013 Reprint 2014 chapter 2 pg. no 7
2. NIH U.S. National library of medicine <https://medlineplus.gov/ency/article/003121.htm>
3. K. Spiroglou¹, G. Paroutoglou², N. Nikolaidis², I. Xinias¹, Olga Giouleme², G. Arsos¹, Vasiliki Demertzidou¹, N. Eugenides² Dyspepsia in childhood. Clinical manifestations and management ANNALS OF GASTROENTEROLOGY 2004, 17(2):173-180
4. Sushrut samhita Ayurved tatva sandipika Hindi commentary by Ambikadatta Shastri Varanasi Chaukhamba sanskrit sansthan Reprint 2003 Part-II Uttarantra 57th chapter verse 3-57 pg 419-422
5. Bhaishajya Ratnavali vol-1, chapter 18 verses 19-29, page

no.479

6. Dravyaguna Vijnana Prof. Dr. J.L.N. Sastry, Choukhamba Orientalia, Varanasi Vol II, 232-235
7. Dravyaguna Vijnana Prof. Dr. Gyanendra Pandey, Chowkhamba Krishnadas Academy, Varanasi Part-II 704-709
8. Dravyaguna Vijnana Prof. Dr. J.L.N. Sastry, Choukhamba Orientalia, Varanasi Vol II, 527-529
9. Dravyaguna Vijnana Prof. Dr. J.L.N. Sastry, Choukhamba Orientalia, Varanasi Vol II, 706
10. Dravyaguna Vijnana Prof. D. Shanth Kumar Lucas, Study of Dravya-Materia Medica, Chowkhamba Vishvabharati, Varanasi Vol-II, 748
11. Bhavamishra Bhavaprakasa Nighantu, Vidyotini Hindi Commentary by Sri Bhramasankara Misra and Sri Rupalalaji Vaisya, 6th edition Chowkhamba Sanskrit Sansthan Varanasi, verse 31 pg.no. 769

Source of Support: Nil**Conflict Of Interest: None Declared**

How to cite this URL: Priyanka Sharma et al: Daadimaadi Churna - A Medicine In Aruchi (Loss Of Appetite) In Children. International Ayurvedic Medical Journal {online} 2018 {cited January, 2019} Available from: http://www.iamj.in/posts/images/upload/76_78.pdf