

International Ayurvedic Medical Journal, (ISSN: 2320 5091) (May, 2017) 5 (5)

A REVIEW ARTICLE ON DIABETES MELLITUS- AN AYURVEDIC APPROACH

Pratibha¹, Ved Prakash², Rishu Sharma³, Mahendra Singh⁴

¹MD Scholar, PG Department of Rachna Sharir, ²Assistant Professor, Department of Rog Nidan, ³Assistant Professor, Department of Shalakya Tantra, ⁴Professor & HOD, PG Department of Rachna Sharir,

SGCAS & Hospital, Tantia University, Shri Ganganagar, Rajasthan, India

Email: pratibhaphogat@yahoo.in

ABSTRACT

Diabetes Mellitus is one of the most common non-communicable diseases. In India, it is emerged as a health problem. Diabetes Mellitus is a heterogeneous metabolic disorder characterized by common feature of chronic hyperglycemia with disturbance of carbohydrate, fat and protein metabolism. In *Ayurveda*, it can be explained as *Madhumeha*. It is one of the types of *Vataj Prameha* where the patient passes honey like sweet urine. The main causative factor is sedentary life-style, excessive intake of dairy product, sweet, non-vegetarian, jaggery and heavy excess meals. In *Ayurveda*, it can be managed conservatively with diet, exercise and medication. Drugs like *Shilajit*, *Khadir*, *Lodhra*, *Guduchi* and *Jambu* are effective in controlling *Madhumeha*.

Keywords: Diabetes Mellitus, *Madhumeha*, Hyperglycemia, Turbid urine

INTRODUCTION

Diabetes Mellitus is defined as a heterogeneous metabolic disorder characterized by common feature of chronic hyperglycemia with disturbance of carbohydrate, fat and protein metabolism. Ayurvedic remedies for Madhumeha (Diabetes mellitus) are the oldest among all the available therapies. Prameha are a list of urinary disorders, especially characterized by profuse urination with several abnormal qualities due to imbalance of Doshas. In

Madhumeha the urine becomes (sweet and smells) like honey. It is of two distinct types, one due to the aggravation of Vata on account of the Dhatukshya and the other due to Kapha-Meda Avarana (Blockage of channel) along with Vata prakopa. When there is condition of Avarana (blockage of the channels/ activity) there are the additional symptoms of the vitiation of the particular Dosha without any other apparent cause². Sometimes the symptoms are

mild and suddenly they appear in severe form which is difficult to cure.

Aims and Objective:-

- To access *Madhumeha* is a metabolic as well as urinary disorder.
- To access clinical presentation of *Madhu-meha*.
- To access the principle management of *Madhumeha*.
- To access the importance of life-style modification in *Madhumeha*.

Material and Method:-

- It is a review study article.
- In classical *Ayurvedic* literature, the *Madhumeha's* described form of etiology, causative factor, sign & symptom and treatment briefly in *Brihattrai* and *Bhavaprakash*.
- In this article review some Ayurvedic text, modern books, PUBMED and Research article.

Nidana (Etiology)-

According to Acharya charka

त्रास्यासुखं स्वप्नसुखं दधीनि ग्राम्यौदकानूपरसाः पयांसि नवान्नपानं गुडवैकृतं च प्रमेहहेतुः कफकृञ्च सर्वम् ४

Indulgence in sitting on soft cushions for long periods (thus avoiding physical activity), sleeping for long hours, use of curds, flesh of animals of domestic, aquatic or of marshy places, milk (and its preparations), fresh grains, fresh water, puddings made of jiggery/sugar (and its other products) and all other similar factors which bring about increase of *Kapha* in the body are the causes for *Prameha* (diabetes).³

Samprapti (Pathogenesis) –

According to Acharya charka:

मेदश्च मांसं च शरीरजं च क्लेदं कफो बस्तिगतं प्रदूष्य करोति मेहान् समुदीर्शमुष्णैस्तानेव पित्तं परिदूष्य चापि ४

चीरोषु दोषेष्ववकृष्य वस्तौ धातून् प्रमेहाननितः करोति दोषो हि बस्तिं समुपेत्य मृत्रं संदृष्य मेहाञ्जनयद्यथास्वम् ६

Samprapti of Madhumeha is best described by Acharya Vagbhatta. He said Madhumeha can originate in two ways⁴-

- 1. By the aggravation of *Vata* caused by *Dhatukshya*.
- 2. By the obstruction of *Vata* caused by *Doshas* covering it.

Madhumeha which is caused by Dhatukshya manifests as thin and asthenic individual due to loss of Oja. All this is Ojakshaya (imbalance in Ojus). In Margavaranjanya Madhumeha the vitiated Kapha and Meda obstruct the passage of Vata. The obstructed Vata is vitiated again and carries Ojus to Basti thus manifests Madhumeha.

As per *Ayurveda* according to the potency of particular feature of etiology, *Dosha* and *Dushyas*, response occurs in the form of nonmanifestation or other-wise of the disorders. When these three factors do not combine together or if combined after a long time or in weakened state, disorder will not be there, or it will manifest lately, or in a mild form or without all the said symptoms. On the contrary, the result will be contrary. Thus is said the cause of response in the form of non-manifestation or otherwise of all disorders.⁵

Poorvaroopa (Premonitory Symptoms) -

There premonitory symptom are- feeling of burning in the palms and soles, body (skin) becoming slimy, heaviness in body, urine is sweet, bad in smell and white in color, stupor, debility, profound thirst, dyspnea, more accumulation of dirt in the palate, throat, tongue and teeth, hairs of the head adhering to one another and more growth of the hairs and nails.⁶

Roopa (Clinical Features) - The general feature of the diabetes syndrome is-

- ✓ Passage of a profuse and/ or turbid urine,
- ✓ The urine becomes like honey
- ✓ The entire body becomes very sweet.⁷

Sushrutacharya also says that Sahajameha Rogi is usually Krisha (thin built) while Apathyanimittaja Rogi is usually Sthula (Obese).⁸

Classification of Diabetes Mellitus9:-

Type- 1 Diabetes Mellitus (IDDM) - Type 1 diabetes, formerly called juvenile-onset diabetes, is usually diagnosed in children, teenagers and young adults. Type 1 diabetes may develop in adults. This is an autoimmune disease causing destruction of Beta-cells of pancreas which results in an absolute insulinopaenia.

Type- 2 Diabetes Mellitus (NIDDM) - Type 2 diabetes, formerly called adult onset diabetes, is the most common form and has an insidious onset. It is commonly seen in adults, but can occur even in childhood. Weight loss is uncommon unless hyperglycemia is severe while ketosis is rare. Familial in-heritance is very common. This form of diabetes usually begins with insulin resistance and initially

there is a counter regulatory hyperinsulinaemia. With time, the pancreas loses its ability to secrete enough insulin in response to meals and clinical diabetes develops.

Classification of *Prameha*:

- Kaphaj Prameha: 10
- Pittaj Prameha: 6
- Vataj Prameha: 4

Other types of diabetes-

A number of other types of diabetes exist which develop due to:

- Genetic defects of the beta-cell function
- Genetic defects in insulin action
- Disease of exocrine pancreas
- Endocrinopathies
- Infections
- Rare autoimmune disorders
- Genetic syndromes associated with diabetes

Criteria for the diagnosis of DM:-

Fasting:-

- Normal- < 110 mg/dl
- Impaired fasting glucose- > 110 and < 126 mg/dl
- Diabetes mellitus- 126 mg/dl

2-hour post load -

- Normal- < 140 mg/dl
- Impaired glucose tolerance- > 140 and < 200 mg/dl
- Diabetes mellitus- > 200 mg/dl with symptoms

Investigation:-

- ➤ O.G.T.T. (Oral Glucose Tolerance Test)
- ➤ Lipid profile

- ➤ Liver Biochemistry
- Glycosylated Haemoglobin (GHb)
- ➤ Blood glucose-Random, Fasting, Postprandial
- ➤ Urine tests-Urine testing for glucose is still widely used.
- ➤ Protein urea is a reflection of the development of renal complication.

Upadrava (Complications):-

Daha, trishna, hrichadaha (Sour belching), moorcha, anidra, kampa, Krisha (emaciation), swash (increased breathing), too much elimination of urine (prabhutmootrata), improper digestion (ajeerna), vamana. Troubled by appearance of deep seated Pidikas (Eruption), Feeling of heaviness of the body (Gaatraguruta).¹⁰

- Metabolic complication- Keto-acidosis, Hyper-osmolar coma
- 2. Infective- Bacterial and fungal infections of the skin, mucosa, soft tissues, bone, urinary tract and lungs.
- 3. Late complication- Atherosclerosis-Coronary heart disease, cerebro-vascular disease and Peripheral vascular disease. Cataract, Diabetic ulcer (Diabetic foot), Nephropathy, Retinopathy, Dermopathy, Neuropathy- Polyneuropathy, autonomic neuropathy.
- Complications of therapy- Hypoglycemia, Insulin resistance, Insulin allergy, Lipodystrophy, Lactic acidosis, Depression of bone marrow.
- 5. Maternal and fetal disorder in G.D.M.¹¹

Prognosis (Sadhya-Asadhyata) Incurability:-

- Kaphaj Prameha: Sadhya (Samkriyatvaat)
- Pittaj Prameha: Yaapya (Vishamkriyatvaat)
- Vataj Prameha: Aasadhya (Mahatyatvaat)
 The diabetes syndrome since birth due to a
 genetic defect is said to be incurable. All stage
 of the diabetes syndrome, if not treated properly lead to severe complication like CRF
 (Nephropathy), Retinopathy and multiple organ failure are incurable. 12

Treatment-

In general, *Krisha Pramehi* which is corelated with Type 1 Diabetes mellitus patients are advised to have *Bringhan* medication (Anabolic) as well as a diet which increase *Dhatus* in the body. ¹³

In *Apathyanimittaja Rogi* which is co-related with Type 2 Diabetes, Obese diabetic patients with optimal body strength having intense increase of *Doshas*, *Samshodhan* (purification) of the body advocated.

- Snehana
- Shodhana
- Virechana
- Vasti (Asthapana/Niruha)
- Shamana
- Exercise and life style modification & following regular regimen of exercise, *yogasana*, *pranayama* and regular food & sleep, following *Ritucharya* & *Dincharya*.

Herbal medications helpful in Madhumeha 14_

• Musta (Cyperus rotundus)

- Daruharidra (Berberis aristata)
- *Arjuna (Terminalia arjuna)*
- Khadir (Acacia catechu)
- Lodhra (Symplocos racemosa)
- Guduchi (Tinospora cordifolia)
- *Patol (Trichosanthe dioica)*
- *Vata (Ficus bengalensis)*
- *Udumbar (Ficus glomerata)*
- Gudmar (Gymnema sylvestre)
- Shilajit (Purified Bitumen)-(most effective)
- *Nimba* (*Azadirachta indica*)

Preparations used in a patient of *Madhume-ha* **for effective management** ¹⁵**-**

- (a) Ghrita & Taila- Trikantakdya Sneha, Dhanvantar Ghirta, Triphala Ghirta, Pramehamihir Taila.
- (b) Asava-Arista- Lodhra Asava or Madhva Asava, Datya Asava, Bhallataka Asava.
- (c) Leha (Paste) Salsaradi leha, Kusha Avleha, Vanga Avleha.
- (d) Udaka- Sarodaka, Kushodaka, Madhukodaka, Sidhu, Madhvika.
- (e) Vati (Tablet)- Trikatukadya Modaka, Shiva Gutika, Shilajatvadi Vati, Chandraprabha Vati, Indra Vati, Gokshuradi Vati, Aarogyavardhini Vati.
- (f) Churna (powders) Nyagrodadi Churna, Eladi Churna, Karkatbijadi Churna, and Triphala Churna.
- (g) Rasa/ Bhasam- Vasantakusumakar Rasa, Brihta Bangeshwar Rasa, Suvarna Banga, Apurvamalinivasant Rasa, Harishankar Rasa, Panchanana Rasa.
- (h) Kwatha (Decoction) Phalatrikadi Kwatha, Darvyadi Kwatha, Vidangadi Kwatha, Triphaladi Kwatha.

Diabetes can be controlled by giving attention to three aspects¹⁶:

- Ahara
- Vihara
- Aushadha

The role of *ahara* and *vihara* are equally or even more important than drugs in order to control blood sugar level as well as to prevent complication of this disease.

Cereals-Yava—Barley (Chenopodium album), godhooma- Wheat, Shyamaka, kodrava, bajara.

Pulses- Mainly beans- *Mudga* (*Green-gram*), *Chanaka* (*Bengal gram*).

Vegetables - Thiktha shakas, Methika (Trigonella foenum-gracum), Nimba (Azadirachta indica), Karavella (Momordica charantia), Patola (Trichosanthas anguina), Rasona (Garlic), Udumbar (Ficus racemosa).

Fruits- Jambu (Syzygium cumini), Talaphala (Borassus flabellifer), Bilwa (Aegle marmelos).

Pathya and Apathya¹⁷ - Shyama, Kodrava, Uddalika, Godhooma, Chanaka, Aadak and Kullatha which are old- are suitable to be used as foods by patients of Madhumeha (Diabetes). Vegetables of bitter taste (Thiktha), meat of animals and eggs of birds of deserts like regions (Jangala mamsa), boiled Yava and its preparations, Mudga, Shali, and Shastika are all suitable as foods.

Shauviraka (fermented gruel), *Sura* (beer), Buttermilk, oils, milk ghee, *jaggery*, foods processed with sour sugarcane juice, food prepared from flour, meat of animals of marshy regions should be avoided from use.

Yoga - Yoga improves all sorts of metabolism in the body. So diabetics should perform

different types of yoga. Yoga will definitely help diabetes mellitus. Yoga now-a-days has attracted the attention of Western people. Common *Asana* that can be very effective in Diabetes are *Pranayam*, *Trikonasan*, *Mayurasan*, *Surya-namaskar*, and *Dhanuraasan*.

Exercises- Brisk walking, jogging, bicycling, swimming.

DISCUSSION

Diabetes mellitus is a life-style disorder. It is of two types- Type I DM and Type II DM. The description of *Madhumeha* is the specific contribution of *Acharya Charka* as well as *Acharya Susruta* and *Acharya Vagbhatta*. He has included it in *Astamahagad*. The clear cut cause of disease is still unknown. In *Ayurveda*, *Prameha* is broadly classified in *Kaphaj Prameha* (10), *Pittaj Prameha* (6) and *Vataj Prameha* (4). *Prameha* is *Kapha-Medo pradhan* disease. In *Ayurveda*, treatment and treatment therapies are described uniquely for every person and special contribution in etiopathogenesis of *Prameha*.

CONCLUSION

Diabetes Mellitus is a metabolic disease and urinary disorder and described as *Madhumeha* in *Ayurvedic*. Two type of clinical presentation are seen *Krisha Pramehi* (Type-I diabetes mellitus) & *Sthula Pramehi* (Type-II diabetes mellitus). *Ayurvedic* principles of management can help the patient to have better blood sugar control and routine life inspite of modern management methods. Various researches on drugs like *Shilajit*, *Giloya*, *Vijayasara*, *Haritaki*, *Manjistha* & formulation have shoves promising results in patient. In addition life style modification with adopting proper food

habits, yoga & exercise have very important role in the management of *Prameha* (Diabetes Mellitus).

REFERENCES

- 1. Text book of Pathology by Harsh Mohan; Jaypee Brothers Medical Publishers (P) Ltd.; 6th edition 2010; page no. 819.
- 2. Astanga Hrdayam of Vagbhatta; Kaviraja Atrideva Gupta; Chaukhambha Prakashan; reprint 2015; page no. 347.
- 3. *Madhva Nidana Madhavkara; Madhuko-sha* by Srivijayarakshit and Srikanthadatta; Edition-reprint, 2005; Page no.1
- 4. Astanga Hrdayam of Vagbhatta; Kaviraja Atrideva Gupta; Chaukhambha Prakashan; reprint 2015; page no. 347.
- 5. Charka- Samhita Agnivesha; English translation; Sharma P.V. (Vol. 1); Chaukhambha Orientalia Varanasi; Ninth edition 2005; Page.no.269.
- 6. *Madhva Nidana Madhavkara; Madhuko-sha* by Srivijayarakshit and Srikanthadatta; Edition-reprint, 2005; Page no. 7-8.
- 7. *Madhva Nidana Madhavkara; Madhuko-sha* by Srivijayarakshit and Srikanthadatta; Edition-reprint, 2005
- 8. Susruta Samhita of Maharishi Susruta by Kaviraja Ambika Dutta Shastri; Part I; Chaukhambha Sanskrit Sansthan, Varanasi, Edition Reprint, 2012, Page no. 75 (chikitsa sthana).
- 9. Text book of Pathology by Harsh Mohan; Jaypee Brothers Medical Publishers (P) Ltd.; 6th edition 2010; page no. 819.
- 10. Bhavaprakash of Bhavmishra, Pandit Brahma Sankara Misra,(vol.2) Chaukhambha Sanskrit Sansthan, Varanasi, Ninth edition 2005, Page no. 394.

- 11. The Principles and practice of Kayachikitsa; Dr. Babu S. Suresh; vol-3; Chaukhambha Orientalia, Varanasi; Edition: 2009; Page no.-105.
- 12. *Madhva Nidana Madhavkara; Madhuko-sha* by Srivijayarakshit and Srikanthadatta; Edition-reprint, 2005; Page no. 119.
- 13. Kaya chikitsa, Sharma Ajay Kumar (vol.2), Chaukhambha Orientalia, Varanasi, Reprint edition 2013; page no.902.
- 14. Bhavaprakash of Bhavmishra, Prof. Murthy K.R. Shrikantha,(vol.2) Krishnadas Academy, Varanasi, First edition 2000, Page no. 491.
- 15. Kaya chikitsa, Sharma Ajay Kumar (vol.2), Chaukhambha Orientalia, Varanasi, Reprint edition 2009; page no.903.
- 16. Kaya chikitsa, Sharma Ajay Kumar (vol.2), Chaukhambha Orientalia, Varanasi, Reprint edition 2013; page no.902.
- 17. Bhavaprakash of Bhavmishra, Pandit Brahma Sankara Misra,(vol.2) Chaukhambha Sanskrit Sansthan, Varanasi, Ninth edition 2005, Page no. 397.

Source of Support: Nil Conflict Of Interest: None Declared

How to cite this URL: Pratibha Et Al: A Review Article On Diabetes Mellitus- An Ayurvedic Approach. International Ayurvedic Medical Journal {online} 2017 {cited May, 2017} Available from:

http://www.iamj.in/posts/images/upload/1670_1676.pdf