INTERNATIONAL AYURVEDIC MEDICAL JOURNAL



International Ayurvedic Medical Journal, (ISSN: 2320 5091) (June, 2017) 5(6)

ROLE OF SWASTHAVRITTA IN STHAULYA (OBESITY): A REVIEW

Swapna Baswaraj Zerikunthe¹, M.M.Godbole², K.K.Jadhav³

¹PG Scholar, ²Professor &Guide, ³Associate Prof. & HOD Department of Swasthavritta &Yog,Yashwant Ayurvedic College, Kodoli, Dist: Kolhapur, Maharashtra, India

Email: swapnazerikunthe@gmail.com

ABSTRACT

Obesity is the complex, multifactorial type of nutritional metabolic disease. It occurs due to imbalance between intake of energy and its expenditure resulting in positive energy balance, which is characterized by the abnormal growth of the adipose tissue, resulting in an increase in the body weight to the extent of 20% or more of the standard weight for the person's age, sex and height. There are more than 1 billion overweight adults and of them, at least 300 million are obese. Prevalence of overweight and obesity is increasing worldwide at an alarming rate in both developed and developing countries. Obesity is normally caused by a sedentary lifestyle and improper. Till now no perfect solution is available for its cure, so its study at different prevention levels is necessary. In present review article etiopathology of *sthaulya*, its sign & symptoms, preventive methods like *nidan parivarjan*, *dinacharya*, therapeutic management along with medicine, diet, *pathya apathya*, non pharmacological methods like exercise and yogic *kriyas* have been studied in detail. Ayurveda being a holistic health science constitutes preventive aspects as well as treatment aspects of disease *Sthaulya*. The preventive aspects of obesity have been taken under the heading *Swasthavritta*.

Keywords: Sthaulya, Prevention, Nidan parivarjan, Pathya-Apathya, Vyayam, yogic kriyas

INTRODUCTION

In India obesity is emerging as an important health problem, paradoxically co-existing with significant malnutrition prevailing in different sections (classes) of the population. In today's scenario, food is plenty and majority of the world's population overeats regularly,

with resultant fat storage. *Sthaulya* is included under eight undesirable conditions (*Ashtau Nindita*)¹, *Shleshma Nanatmaja*,²*Santarpana Nimittaja*,³*Atinindita*,⁴*AtiBruhmana Nimittaja*,⁵ and *Bahu Dosha Janita Vikara*⁶. Moreover Sushruta has given emphasis on meta-

bolic disturbances (Dhatvaagnimandya) in the etiopathogenesis of Sthaulya.⁷ The patient of Sthaulya exhibits very strange phenomenon. Their appetite is excessive⁸ and whatever they eat is quickly digested, which indicates hyperfunctioning of the Jatharaagni. Besides this, the patient suffers from laziness, may be due to under supply of energy, which may be due to hypofunctioning of Bhutaagni. Further Dhatvaagni also seems to be disturbed, as in Sthaulya patient mainly Medo-Dhatu is formed and there is deficiency of other Dhatu.9 Hence, it can be inferred that in Sthaulya, Jatharaagni is Tikshna, Bhutaagni is Manda and Dhatvaagni is disturbed in their respective functions. The Obesity is a physical state where Hypertension, Osteoarthritis, Diabetes Mellitus, Cardio Vascular accidents, impotency and many other grave complications frequently converge. Many institutions and Medical schools are making efforts to find a perfect remedy for this burning problem.

MATERIAL AND METHODS

Literature regarding obesity is reviewed from various classical texts of Ayurveda (Samhitas), research journals, web sites and from western medical books and prevention levels of diseases mentioned in community medicine science in context with obesity are correlated with Ayurvedic Swasthavritta with reference to sthaulya(Obesity). Data has been collected. Matter is also collected regarding the pathya Apathya and Vyayam, yoga in Sthaulya and all Compiled matter is reorganized and critically analyzed for the discussion and trial has been made to draw conclusions

Problem Magnitude

According to the Centre for Disease Control and Prevention (CDC), more than 72 million adults are obese and no state has an obesity rate less than 15 % - the national goal. Among U.S. adults, obesity has ballooned exponentially from forty-six percent to sixty-four percent of the population between 1980 and 2000.

Etymology (Vyutpatti) of Word Sthaulya

The word *Sthaulya* is delivered from root "Sthu" with suffix "Ach", which stands probably for thick or solid or strong or big or bulky. According to *Vachaspatyam*, the word *Sthaulya* means heaviness of the body. ¹⁰ According to *Amarakosha*, it stands for excessive growth of the body. ¹¹ As per Hemachandra, *Sthaulya* indicates the state of over nutrition of body or dullness of intellect. According to Kautilya, the word "Sthulata" means largeness or bigness or bulkiness or stoutness of body.

Nirukti of Sthaulya

A person having heaviness and bulkiness of the body due to extensive growth especially in Udaradi region is termed as "Sthula" and the state (Bhava) of Sthula is called "Sthaulya". 12

Definition (Vyakhya) of Sthaulya

Sthula is defined as a person, "who on account of the inordinate increase of fat and flesh, is disfigured with pendulous, buttocks, belly and breasts and whose increase bulk is not matched by a corresponding increase in energy".

Sthaulya can be correlated to obesity. Excess deposition of adipose tissue is obesity. A recent National Institute of Health

consensus conference defined obesity as BMI $> 27 \text{ kg} / \text{m}^2$. Now a day's obesity is defined as BMI $> 25 \text{ kg} / \text{m}^2$.

BMI = Actual weight in kg. / (Height in metre)²

According to Parks, obesity may be defined as an abnormal growth of the adipose tissue. It is in three ways

- ➤ Enlargement of fat cell in size i.e. Hypertrophic obesity.
- ➤ Increase in the number of fat cell i.e. Hyperplastic obesity.
- > A combination of both.

Nidana (etiological Factors) of Sthaulya

Various causative factors of *Sthaulya* related to different aspects of life that affect the body from outside and inside are described in classical texts of Ayurveda. The hereditary (Beeja Dosha), dietetic, regimen and psychological factors cause *Sthaulya* as per Charaka Samhita¹⁴.

Aetio-pathogenesis of *Sthaulya***:**

All the *Nidana* described by various *Acharya*s for *Medoroga* can be classified under four broad categories as follows^{15,16}

1) Aharaj Nidana (dietary):

Madhura Aharasevana (excessive sweat intake), Guru Aharasevana (heavy digestible food), Santarpana, Adhyashan, Snigdha Aharasevana, Navanna sevana (new seed), Nava Madyasevana (new alcohol), Mamsa Sevana, (Non vegetarian), Dadhi Sevana, (yoghurt), Ikshu Vikara Sevana, Guda Vikara Sevana etc.

2) Viharaj Nidana (life style related):

Avyavaya (lack of sexual life), Avyayama (lack of physical exercise), Diwaswaap (day

time sleep), Swapnaprasangat (long sleep), Gandhamalyanusevana (using perfumes, garlands), Bhojanottara nidra (sleeping after meal), Asana Sukham (excessive sitting), Bhojanottar snaana (bathing after taking the meal) etc.

3) Manas Nidan (Psychological factors):

Achintanat (lack of tension), Harshnityatvata (uninterrupted cheerfulness), Manasonivritti (mental relaxation), Priyadarshana (watching of beloved), Saukhyena (complete happiness) etc.

4) Anya Nidana (other causative factors):

Amarasa (free radicals), Bijadoshaswabhava (hereditary), Snigdh Madhur Basti Sevana (administration of Unctuous & Sweet enema), Snigdha Udvartana (unctuous unction), Tailabhyanga (oil massage).

The causes of obesity are distributed in three main groups according to modern medicine.

Exogenous: Where the chief causes are excessive appetite or over eating, dietary habits, drinking habits and smoking.

Endogenous: Where endocrine factors are also important.

Miscellaneous: A number of factors are known to be associated with obesity like age, sex, occupation, socioeconomic factors, psychogenic factor, environment factors, constitution, drugs, hypothalamic trauma, physical activity, caloric balance and heredity.

The etiological factors described by *Acharyas* can be categorized broadly under 4 categories-

- 1. Guru, Madhur, Snigdha and Sheeta Guna predominant diet.
- 2. Avyayaam, Avyavaya, Achintana, etc are the Khavaigunyakara (Srotodushtikara) entities.

- 3. Atibhojana, Atimadhura, Atisnigdha etc are the Agnimandyakara entities.
- 4. Beejadosha.

Samprapti:

In Samprapti (pathogenesis) of *Sthaulya*, all the three *Doshas* are vitiated especially *Kledaka Kapha*, *Pachaka Pitta*, *Samana* and *Vyana Vayu* are the responsible factors for proper digestion and metabolism of food at the level of alimentary tract and body tissue. *Dushti* of these *Tri-Dosha* components results in indigestion metabolic deformity and formation of *Ama* at tissue level as well as alimentary tract. *Sthaulya* is a *dushya* dominant disorder. Due to excess *Agni* more *Annarasa* is produced and the quality of diet i.e. *Guru*, *Madhur*, *Snigdha*, *Sheeta Guna* dominance

Dhatu Poshakansha is formed in more quantity. At start the Rasagata, Raktagata and Mamsagata Sneha also increase production of Medodhatu. But due to medodhatwagnimandya this condition worsens and nourishment of further dhatus doesn't happen properly. Due to binge eating, rasa, rakt, mamsagat sneha tends to increase. Patient shows the symptoms of rasavriddhi and kaphavriddhi. eg. angagaurav, alasya, tandra and nidradhikya. Medadhatu gets increase with physical signs like chalsphik-udar-stana, kshudra shwas, swedadhikya etc and finally lands into Sthaulya.

Samprapti Ghataka:

Table 1: The factors playing vital role in *Samprapti* of *Sthaulya*

Dosha	Kapha – Kledaka,	
	Pitta - Pachaka,	
	Vata - Samana and Vyana.	
Dushya	Rasa and Meda Dhatu	
Agni	Jatharagni, Bhutagni, Rasa and Medadhatvagni	
Srotasa	Medovaha, Mamsa, Rasavaha, Swedavaha Srotasa	
Srotodushti	Sanga (Margavarodha) 17	
Adhisthana	Sarvanga	
Udbhavasthana	Amashaya	
Prasara	Rasayani	
Roga Marga	Bahya	
Vyakti Sthana	Sarvanga specifically Udara, Sphika, Stana and Gala pradesha.	

Purvarupa of Sthaulya

There is no any clear evidence of *Purvarupa* of *Sthaulya* in our classics. As per basic principles of Charaka, the weak manifestation of *lakshana* should be supposed as *Purva rupa* of the corresponding disease. Based on this view, features of *Kapha vriddhi* like *Alasya*, *Angashaithilya*, *Madhurasyata*, *Atinidra*,

Atipipasa etc. may be considered as Purvarupa.

Ashtaudosha of Sthula

Acharya Charaka has described eightdespicable personalities (*Doshas*) of obese which are as follows¹⁹:

- 1. Aayushohrasa (Decreasing life span)
- 2. Javoparodha (Slowness in movement)
- 3. *Kricchavyavayata* (Difficulty in sex)

- 4. Daurbalya (Weakness)
- 5. Daurgandhyam (Bad odour)
- 6. Svedabadha (Excessive sweating)
- 7. *Kshudatimatra* (Excessive hunger)
- 8. *Atipipasa* (Excessive thirst)

Lakshanas of Sthaulya

According to different Acharyas, Lakshanas of Sthaulya are Chala Sphika (Excess fat on buttocks), Chala Udara (Excess fat on abdomen), Chala Stana (Excess fat on chest), Avatha Upachaya (Disproportionate body)²⁰, Anutsaha (Lack of enthusiasm), Kshudra shwasa (Dyspnoea), Nidradhikya (Excessive sleep), Gatrasada (Numbness of limbs), Gadgadadhvani (Slurred speech), Krathana (Sudden catch of breath), Alpaprana (Less energy), Sarvakriyasu Asamarthata (Incapable of doing any work), Alpavyavaya (Lack of sexual urge), Kasa (Cough), Shvasa (Asthma), Snigdhangata (Unctousness in body), Udaraparshva vriddhi (Excess accumulation on abdomen and chest), Alasya (Laziness), Ama (Free radicals), Moha (Delusion), Saukumarata (Cannot sustain difficulty), Anga shaithilya (Looseness in parts) and Alpabala (Lack of power).

Signs of Obesity

- ➤ Weight 20 % increased above desired weight.
- ➤ B.M.I. above 30 in males and above 28.6 in females are called obese.
- ➤ Skin fold thickness Obesity is indicated by a reading above 20 mm in a man, and above 28 mm in a woman.
- ➤ Waist hip ratio When W.H.R. is above 1.0 in males and above 0.8 in females, the

- type of obesity is android; i.e. man pattern obesity and when W.H.R. is below this it suggest ganoids type i.e. female pattern obesity.
- ➤ In obese person possibility of fungal infection is greater in the skin fold areas.
- ➤ In fatty women menstrual disturbance and sterility is also observed.

Symptoms of Obesity

General lassitude, day time hypersomalism and dyspnoea on exertion are the main symptoms of obesity

Pathogenesis of Obesity

Obesity is a state of excessive accumulation of adipose tissue; it is difficult to draw sharp demarcating line between the physiological and pathological states. Obese individuals have an increase in number and / or size of adipose cells which suggests hyperplasia and / or hypertrophy of adipocytes either due to functional demand in particular age or sex or due to increase in energy intake or decrease in energy expenditure influenced by hypothalamic, genetic, endocrine, behavioural, psychological or iatrogenic component. Adult onset obesity is predominantly characterized by adipose cell hypertrophy with minimum hyperplasia. Apart from the increase in size of normal depots like the subcutaneous tissue the omentum retroperitoneal tissues and epicardium and adipose tissue, the fat may get deposited in the tissues, where it is normally absent. Excessive lipid deposition, diminished lipid mobilization and diminished, lipid utilization are the three main components in pathogenesis of Obesity.

Classification of Sthaulya

For diagnosis, prognosis and easy management of disease classification is essential but no exact classification of *Sthaulya* is found in the classics. In *Ashtanga Hridaya* and *Ashtanga Sangraha* three types of *Sthaulya* i.e. *Adhika, Madhya and Hina* have been mentioned in the context of indications of *Langhana upakrama*.²¹

Vagbhata's classification can be correlated with modern as given below -

- 1. Hina Sthaulya (Over weight)
- BMI 25 to 29.90 Kg / m²
- Duration of less than 1 year.
- Without any complications or secondary diseases
- with less than four undesirable effects
- 2. Madhyam Sthaulya (Obesity Class 1 & 2)
- **BMI** $30 \text{ to } 34.99 \text{ kg} / \text{ m}^2$
- With least complications without any secondary diseases.
- With less than 8 undesirable effects.
- Within duration of 1 to 5 years.
 - 2. *Ati Sthaulya* (Severe or morbid obese)
- $BMI > 40 \text{ kg} / \text{m}^2$
- With systemic complications or secondary disease.
- With all eight undesirable effects.
- With more than 5 years duration.

Sadhya – Asadhyata (Prognosis):

In case of *Sthaulya*, most of the *Acharyas* have described bad prognosis and *Sahaja Sthaulya* is considered untreatable. *Charak* also emphasized the fact that the management of *Sthaulya* is more difficult than *Karshya*²². As per modern, the prognosis is poor, if untreated it tends to progress. It is easy for an obese person to

decrease up to 5 kg of weight, (this accounts for short time success of number of different slimming cures) it is difficult to gain further losses. The researches have shown that it is difficult for the patients to maintain their reduced weight.

Upadrava of Sthaulya (Complications)

Even though Acharya Charaka has not described the *Upadravas* separately, he mentions that untreated *Sthaulya* can lead to many diseases. Other Acharyas also have mentioned different complications like *Prameha* (Diabetes), *Pramehapidika* (Carbuncles), *Jvara* (Fever), *Bhagandara* (Fistula), *Vidradhi* (Abscess), *Vatavikara* (Diseases due to *Vata dosha*), *Udara roga* (Ascitis), *Urustambha* (Stiffness of thigh), *Shwasa* (Asthma), *Apachi* (Tumour), *Kasa* (Cough), *Sanyasa* (Coma), *Kushtha* (Skin disorders), *Visarpa* (Erysipelas), *Atisara* (Diarrhoea), *Arsha* (Piles), *Shlipada* (Filariasis), *Kamala* (Jaundice), *Mutrakricchra* (Dysurea) and *Ajirna* (Indigestion).²³

Management of Sthaulya

1. Nidanparivarjan

a) AharajaNidanaprivarjan

The base line treatment for *sthaulya* is to avoid factors (*Hetus*) which are responsible for the causation of the disease. *Nitya langhan* therapy and *langhana* even in *shisira ritu* is advised for obese patients by Vagbhata²⁴. *Sthaulya* and *Karshya* depend upon the quality and quantity of *Ahararasa*. On the basis of *Samanya Vishesh Siddhanta*²⁵ the excessive food consumption of similar substance (*Dravya Samanya*), similar quality (*GunaSamanya*) or similar in action (*Karma Samanya*) results in over production of *Dhatu*. In the same pattern increased intake of *Aharatmaka Nidana* which

is mentioned above causes over production of *Medodhatu*.

b) ViharajaNidanparivarjan

All the *Aharaja Nidana* finally decreases physical activity, which increases *Kapha* and leads accumulation of *Meda. Viharaja Nindana* like *Divaswapna* having *Abhishyandi* quality leads to blockage of the micro channels (*Srotas*) of the body, specifically in *Medovaha srotas*. Moreover, reduced metabolic rate during sleep is a crucial factor in producing excess fat.

c) Aushadhi parivarjan

Frequent use of *Rasayan* (Rejuvenating) and *Vrushya Dravy*a (Aphrodisiacs) causes *sthaulya*. It has been clear from different research studies that through rectum and large intestinal mucosa amount of nutrients may be absorbed and is assimilated. Hence, over use of *Brumhana* and *Vrishya Basti* may cause *Sthaulya*. Hence to prevent obesity one should restrict its use.

Table 2: Diet regimen (pathya apathya) for obese

AHARA VARGA	PATHYA	APATHYA
Shuka Dhanya	Yava, Venuyava, kodrava, nivar, Jurna	Godhuma, Navanna, Shali
Shami Dhanya	Mudga, Rajmasha, kulattha, Chanak, masur, Adhaki	Masha, Tila
Shaka Varga	Vruntak, Patrashaka, Patola	Madhurshaka, Kanda
Phala	Kapitha, Jamun, Amalak	Madhurphala
Dravya	Takra, Madhu, Ushnodaka, Til tail, Sarshap tail, Arishtha	Dugdha, Ikshu Navnit,
	Asava, Jirnamadya	Ghrita Dadhi
Mamsa	Rohitmatsya	Anupa, Audaka Gramya

Table 3: *Pathya – Apathya Vihara* (Physical Regimen)

Pathya	Apathya	
Shrama (Labour)	Sheetala Jala Snana (Cold bath)	
Chintana (Worry)	Swapna Prasanga (Excessive sleep)	
Jagarana (Night awakening)	Divaswapa (Day sleep)	
Vyavaya (Intercourse)	Avyayama (Not exercising)	
Nitya Bhramana (Regular walking)	Avyavaya (Avoiding sex)	
Shoka (Grief)	Sukha Shaiya (Comfortable bed)	
Harshakshaya	Achintana (No worries)	
Krodha (Anger)	Nityaharsha (Always happy)	

- Use of *Madhu* (honey), Spices-Fenugreek, turmeric, cumin, mustard, asafoetida, curry leaves, ginger, black pepper, clove, cinnamon is advised.
- Avoid sweet, sour, salty and oily food as it aggravates Kaphaand Meda (Sweet foods means not only sugar containing items but

also rice, wheat, pasta, breads, and sweet milk products), Cakes, cookies, Pastries, Chocolates and other bakery products.

Sthaulya and Swasthavritta

Swasthavritta has a great strength in preventing Obesity by intervention in its cycle of pathogenesis as early as possible beginning

from the avoidance of risk factors of the disease. Measures for prevention of *Sthaulya* (obesity) can be classified as:

1. Common measures:

It include properly observing *Dinacharya* and *Ritucharya sadavritta*, self control and knowledge of various factors affecting health, good habits, avoiding food in excess quantity(*Atyashana*), *apathya aacharana, virudhashana*, avoiding *Diva Swapna* (Sleeping in day time), doing regular exercise and many others.

2. Extraordinary measures:

This includes *Pramitashana* (adequate quantity of food), *Langhan* (fasting), Heavy exercise, *Ruksa udavartan*.(application of dry powder to body), *Ratri jagarana* (late night work), *Atimaithun* (excess sexual activity), *Adhik Adhayana* (excess study), *Chinta* (worries). Use of certain medicines such as *Triphala*,(*Haritaki*-Terminalia chebula, *Bibhitaki*-Terminalia belerica, *Amalaki*-Embelicaofficanalis), *Takrarishta*, *Madhu* (Honey), *Shunthi*, *Kshar*, *Lohabhasma*, *Nagarmotha* (cyperus rotundus), *Shilajit* (mineral pitch).

The role of *Swasthavritta* in obesity can be studied at various prevention levels²⁶ i.e. at primordial, primary, secondary and tertiary prevention.

Primordial prevention of *Sthaulya* (obesity) through *Swasthavritta*

Primordial prevention is the prevention of occurrence of risk factors in population groups in which they have not yet appeared. This can be the perfect type of prevention in diseases like *Sthaulya* and it is achieved through individual and mass education of regular exercise (Vyayam) till the appearance of features of ArdhashaktiVyayam (exercise till increased rate of respiration, perspiration, feel of freshness) as a part of Dincharya (daily regime). This can be done as cultural practice. Emphasis has been given in Swasthavritta to Sadvrutta which includes adaptations of good habits for lifetime to bring lifestyle changes including diet, exercise and weight reduction. Use of proper dietary habits as per Ashtavidha ahar vidhivisheshayatana²⁷ and Dwadash AshanPravichar²⁸ (eight and twelve dietary rules) from childhood only can be a strong step in preventing obesity at primordial level.

Primary prevention of *Sthaulya* (obesity) through *Swasthavritta*

It is action taken prior to the onset of disease which removes possibility that a disease will ever occur in future life. This group is advised to make certain changes in socio-economic, behavioural, food patterns, habits, sleep cycle and lifestyle. This includes modification in lifestyle as per guidelines of *Ayurvedic* classical texts such as *Sadvritta* (good lifestyle practices), non suppression of natural urges, *NidanaParivarjana* (avoiding causative factors) and so on after recognizing *Purvaroopa* (early signs) of *Sthaulya*.

Secondary prevention of *Sthaulya* (obesity) through *Swasthavritta*

Secondary prevention involves measures which are taken to stop the progress of a disease at its incipient stage and prevent complication. Such measures which reduce *meda* and *kapha*, for example heavy exercise, *ruksa udavartana*, *ratri jagarana*, *Pramitashana* (adequate quantity of food), *Langhan* (fasting), *Atimaithun* (excess sexual activity)etc. are use-

ful for patients of *Sthaulya*. Use of certain medicines such as *Triphala*, *Amalki Takrarishta*, *Madhu* (Honey), *Shunthi*, *Kshar*, *Lohabhasma*, *mustha*, *Shilajatu*.

Tertiary prevention of *Sthaulya* (obesity) through *Swasthavritta*

It includes all measures that reduce disorders and minimize suffering of the patient due to disease. *Ayurveda* has restricted role at this level.

Shodhan Chikitsa (Body purificatory methods):

One can use Shodhan upakramas as mentioned by Ayurveda classics for prevention of sthaulya as a part of swasthavritta. For example elimination of Kapha dosha in its prakopa kaal (Vitiating time) in Vasant ritu(Spring season). Being a syndromic condition (Bahudoshasya Lakshana) samshodhana therapy is highly recommended for Sthaulya patients possessing stamina and strength. Ruksa, Usna and Tiksna Basti are also suggested by Charaka. Ruksa Udvartan is the bahya Shodhan (External purificatory Method) indicated for the management of sthaulya.

Shamana Chikitsa

Rukshana and Langhan can be given for shaman purpose having Ruksa Guna dominance in them. Alleviation of Vata, Pitta and Kapha especially Saman Vayu, Pachaka pitta and Kledaka kapha along with depletion of medodhatu by increasing medodhatvagni is main goal of treatment in Sthaulya. Administration of guru and apatarpana articles which possess additional vata shleshma and medo nashaka properties is considered as an ideal for sanshamana therapy. Pragbhakta i.e intake of medicine before meal is insisted for krushi-

karana purpose. It has been further explained by Sharangdhara and advised to take Lekhana drug on empty stomach in early morning and before meal. Acharya Charaka has mentioned Lekhaniya dashemani²⁹dravyas(a group of 10 drugs), these drugs mainly perform the Lekhana Karma(scrapping) of excess and abnormal Meda, causing weight reduction as well as relief in other signs and symptoms. Rasanjana is mentioned as the best for the treatment of Sthaulya, while Guggulu is mentioned as the best for the disorder of Vata and Medodhatu.

Miscellaneous Ayurvedic Drug formulations

In Ashtanga Hridaya Gomutra Haritaki, Rodhrasava, Navaka guggulu, Amruta guggulu, Vardhamana Bhallataka Rasayanaetc. are the compounds mentioned in the management of Sthaulya. Bhava Prakasha has mentioned the remedies for Medohara purpose, Chavyadi Saktu, Triphaladya churna, Mulak churna, Erandapatra Kshara, Badaripatra Peya, Dashanga guggul, Tryushanadi guggul, Loha Rasayanan, Lauharishta etc.

Prevention of Sthaulya through Yogic Shuddhi kriyas

1."Kunjal kriya" ³⁰ is first mentioned in Hatha Yoga as a type of Antardhauti, which is also known as "Gajakarani" in Hatha Yoga Pradipika. The process Kunjal mainly acts on Amashaya (prime seat of Kapha) and Annavaha Srotas. It rectifies Jatharagni and Dhatugata Ama gets expelled resulting in halting of pathogenesis of Sthaulya. Among ShatkarmaKunjal Kriya is included in Dhautikarma. Kunjal Kriya is not a mere stomach cleansing procedure, apart from that, it also has systemic effects. Kunjal Karma has been

considered as one of the best treatments for the *Kaphaja* disorders like *Sthaulya*.

2. Yoga Asana

Some *yogasanas* which are found to be preventive in sthaulya are *Suryanamaskar* (Sun Salutations), *Pawan muktasana* (Wind Liberating Pose), *Utthanpadasana* (Raised Leg Pose)

Dvichakrikasan (Bicycling), Padvruttasan (Leg rotation), Naukasana (Boat Pose)and Pranayama (breathing exercises).

3. Shauch (External hygiene) and Santosh (satisfaction) which are the sub types of Niyam of Ashtang yoga should be taken as guideline in prevention of obesity. Symptoms like Swedabadha (Excessive sweating), Sweda daurgandhya (Foul smell) can be avoided by shauch (snana). Another thing which is to be kept in mind is that Santosh i.e. one should be happy or satisfied with limited food.

4. Dietary rules

- The dietary rules should be followed strictly like "aharmatra agnibalapekshini" as said by acharya charaka i.e. one should consume food in correspondence with his agni(digestive fire) only.
- Faulty dietary habits like adhyashana, vishamashan and samashan should be avoided.
- Drink enough water before meals only and less water after meals.

CONCLUSION

Manasika factors along with genetic predisposition plays a vital part in occurrence of Sthaulya. There is no specific treatment for obesity, Yoga therapy, vyayam and proper dietary guidance can play crucial role in prevention of

obesity. Obesity occurs more in female than male. Life style modifications as per given in classical texts i.e following dinacharya, ruksha udavrtana in context with sthaulya can be useful in avoiding sthaulya. Rutunusar Shodhana procedures like vamana in vasanta rutu according to classical methods will definitely help in preventing obesity. Further one can use these preventive guidelines along with some medicinal formulation to combat with obesity.

REFERENCES

- Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya, 21/3, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016, p. 398.
- 2. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Maharoga Adhyaya, 20/17, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016; p. 395.
- 3. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Santarpaniyam Adhyaya; 23/6, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016; p. 422.
- 4. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya; 21/3, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016;p. 398.
- 5. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Langhana Brumhniya Adhyaya; 22/38, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016;p. 419.

- 6. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana Chikitsaprabhrutiya Adhyaya; 16/13-16, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016; p. 323.
- 7. Sushruta, Sushruta Samhita, Sutrasthana, Dosha Dhatu Mala Kshaya Vriddhi Vijnaniyam Adhyaya 15/32, edited by Vaidya Yadavji Trikamji Acharaya and Narayan Ram Acharaya. Varanasi: Chaukhambha Orientalia; 2007, p.73.
- 8. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya; 21/5-6, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016; p. 400.
- 9. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya; 21/4, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016; p. 399.
- Shri Taranath Tarak Vaschaspati Bhattacharya, Vachaspatyam 6/5358, Chaukhambha Ayurved Pratishthan; Reprint; 2006.
- Amarasimha With Commentary of Bhanuji Diksita, Amarkosha Nanartha Varga-204 Edited With Notes By MM Pandit Shivadatta Dadhimtha.
- 12. Mishra Bramhashankar. Bhavaprakasha Vidyotini Tika, Madhya Khanda 39, 11 edition, Varanasi, Chaukhambha Sanskrit Sansthana; 2004.
- Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya, 21/8-9, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 401.

- 14. Yadavji Trikamji Acharya, Agniveshakrita Charaka Samhita Chakrapani Commentary, Sutrasthana 21/3, Varanasi, Chaukhambha Sanskrita Sansthan; 2009.
- 15. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Nidanasthana, Pramehanidan Adhyaya, 4/5, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016, p. 613.
- 16. Vagbhat, Ashtanga Hridaya with Sarvangasundara teeka, Nidana Sthana- 10/3, edited by Hari Shastri Paradkar, Akola, published by Varanasi, Chaukhambha Sanskrit Sansthan, 2010, page no. 502.
- 17. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya, 21/4, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 399.
- 18. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Chikitsasthana, Vaatvyadhi Adhyaya, 28/19,edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 938.
- 19. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya, 21/30, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 405
- Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya, 21/8-9, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 401
- 21. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Vimanasthana, Trivid-

- hakukshiya Viman Adhyaya, 2/8, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016, p. 671.
- 22. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya, 21/17, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 402
- 23. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Ashtauninditiya Adhyaya, 21/7, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 400
- 24. Vagbhat, Ashtang Hridaya with Sarvangasundari Tika and Ayurveda Rasayana Tika, Sutrasthana, Dvividhopakramaniya Adhyaya, 14/11, edited by Prof K.R.Srikantha Murthy, Varanasi, Chowkhamba Krishnadas Academy 2014.P. 193.
- 25. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Deerghajivitiya Adhyaya, 1/44, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 15
- 26. Amol velhal 2015, Role Of Swasthavritta In Preventing Life Style Disorders W.S.R. To Sthaulya (Obesity), UJAHM, vol. 3, issue 2, Page 23-27

- 27. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Vimanasthana, Rasa Viman Adhyaya, 1/21, edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016. p. 662.
- 28. Sushrutha. "Sushrutha Samhita", Revised by Nagarjuna, Vol III, edited by Dr. P.V. Sharma. Varanasi: Chaukhambha Visvabharati Prakashan, Uttartantra.64/36, P. 624.
- 29. Agnivesha, Charaka, Dridhabala, Charaka Samhita, Sutrasthana, Shadvirechanshatashritiya Adhyaya, 4/8(3), edited by Tripathi Brahmanand. Varanasi: Chaukhambha Surbharati Prakashan; 2016, p. 76
- 30. Kanchan Chowdhury et a, Management of sthaulya (obesity) through kunjal Kriya Int. J. Res. Ayurveda Pharm. 4(4), Jul Aug 2013.

Source of Support: Nil Conflict Of Interest: None Declared

How to cite this URL: Swapna Baswaraj Zerikunthe Et Al: Role Of Swasthavritta In Sthaulya (Obesity): A Review. International Ayurvedic Medical Journal {online} 2017 {cited June, 2017} Available from:

http://www.iamj.in/posts/images/upload/2115_2126.pdf