

INTERNATIONAL AYURVEDIC MEDICAL JOURNAL







Research Article ISSN: 2320-5091 Impact Factor: 6.719

ROLE OF YASHTIMADHU CHOORNA WITH MADHU LEPANA IN THE MANAGEMENT OF MUKHAPAKA

Zishan Shaikh¹, Sudeep S Menon²

¹Dept of Swasthavritta B.AM.S. M.D. (Scholar Swasthavritta), Bharati Vidyapeeth (Deemed to be University), College of Ayurved and Hospital, Pune, Maharashtra, India

²Associate Professor, Dept of Swasthavritta, M.D. (Swasthavritta) Ph.D. (Scholar), Bharati Vidyapeeth (Deemed to be University), College of Ayurved and Hospital, Pune, Maharashtra, India

Corresponding Author: zeshanshaikh1992@gmail.com

https://doi.org/10.46607/iamj0409022021

(Published online: February 2021)

Open Access

© International Ayurvedic Medical Journal, India 2021

Article Received: 19/01/2021 - Peer Reviewed: 01/02/2021 - Accepted for Publication: 07/02/2021



ABSTRACT

Mukha (mouth) is one of the important parts of body and it is exposed to various risk factors due to the bad habits like tobacco chewing and smoking etc. Mukhapaka is pathological condition related to Mukha which occurs due to the simple cut, eating hot food items, unhygienic cleaning, vitamins deficiencies and adverse reaction of antibiotics. Ulceration, Excessive salivation and Pain etc. are general symptoms of Mukhapaka. As per Ayurveda Mukha Rogas is Pittaja Nanatmaja and Rakta Pradoshaja Vikara and around 20% of population is suffering with this problem. Ayurveda described various treatment modalities for the management of Mukhapaka; Yashtimadhu with Madhu is one of them, present article established efficacy of Yashtimadhu with Madhu Lepana in Mukhapaka. The study concluded that Lepan-Karma with Ayurveda formulation Yashtimadhu Ghrita Madhu offers beneficial effects in mouth ulcer.

Keywords: Yashtimadhu, Madhu, Mukhapaka

INTRODUCTION

Mukhapaka is neither a severe nor one that can be terminated as cursory. It is not life threatening, but at the same time it can be crippling by grossly distributing the individual's lifestyle. Habit like tobacco chewing, smoking etc. have increased incidence of diseases pertaining to oral cavity.

Mukha rogas have been mentioned in Ayurved, with the various treatment modalities especially Lepana¹. Lepana is a procedure in which medicinal paste is applied in mouth for a certain period of time. Yashtimadhu with Madhu Lepana is prepared by mixing Yashtimadhu choorna and Madhu. Yashtimadhu are having the quality of Madhur rasa, Sheeta virya, Madhur vipaka. It is Vata Pitta shamak.²⁻⁵ Moreover, conducted parameters have proved the healing, antiulcer, anti-inflammatory and skin regeneration activity of Yashtimadhu. Sodium, Glycyrrhiza Glabra possessed anti-ulcer activity and stimulation of regenera-

tion of skin. *Yashtimadhu* is easily available, cost effective and safe to use.

Madhu is having quality of, Madhur Kashaya rasa, Ruksha Laghu Yogavahi guna and it is Tridoshaghna in nature⁶. Hence present study "To Study the role of Yashtimadhu Choorna with Madhu Lepana in the management of Mukhapaka" was undertaken to have a solution, for betterment of Mukha Swasthya.

Aim: To assess the efficacy of *Yashtimadhu Choorna* with *Madhu Lepa* in management of *Mukhapaka*

Materials and Methods:

Patients possessing signs and symptoms of *Mukhapa-ka* were selected from B.V.D.U. *Ayurved* Hospital, OPD were selected in the study with written informed consent. Patients were randomly selected based on inclusion and exclusion criteria. Total 30 patients were participated in clinical study.

Drug	Rasa	Guna	Veerya	Vipaka	Doshakarma
Yashtimadhu	Madhur	Snigdha, Guru	Sheeta	Madhura	Vata-Pitta Shamana
Madhu	Madhura, Kashaya	Ruksha Laghu	Ushna	Katu	Tridoshaghna

Inclusion Criteria:

- 1. Patients with age group between 16 and 60 years.
- 2. Patient suffering from *Mukhapaka*.
- 3. Patients of both sex.

Exclusion Criteria:

1. Patients suffering from serious systemic illness which may interfere with course of treatment.

- 2. Patients having non-healing chronic ulcers, malignancy and syphilis etc.
- 3. Patient having chronic or carcinogenic ulcers in oral cavity.
- 4. *Mukhapaka* due to any other systemic disorder e.g. Syphilis, AIDS, etc.

Intervention:

Drug	Yashtimadhu choorna with Madhu	
Dose	2gm of Yashtimadhu choorna and 5ml of Madhu for oral application	
Procedure	<i>Lepana karma</i> on affected area	
Time	7 days	
Follow up	2 nd and 5 th day	
Time of administration	3 times a day	
No of natient	30	

Drug Preparation: *Yashtimadhu* was selected as trial drug for study since it was mentioned in *Yogaratnakara*. The *Choorna* was prepared with roots of *Yashtimadhu* which were dried before grinding.

Madhu was purchased from Authentic Store. 2gm of *Yashtimadhu choorna* and 5ml of *Madhu* were added together and was locally applied on affected part of Oral cavity.

Route of Administration: Locally applied in oral cavity, after excessive salivation takes place, spit out saliva.

Procedural Conduction of Clinical Study: Patients were advised to Lepana karma by themselves. The Lepa of Yasthimadhu Choorna with Madhu was told to be applied over ulcer present in internal oral cavity of selected patients with care that no part of ulcer left without Lepana and to be done at morning, afternoon and night before food. The lepana was removed with cotton and lukewarm water. Patients were advised to follow good conduction of Ahara-Vihara so to

achieve maximum beneficial effects of therapy. The patients were called on 2nd and 5th day to access the follow up. The total duration of treatment was for 7 days and effect of therapy was measured on the basis of assessment criteria

Criteria for Assessment: The signs and symptoms were assessed by adopting suitable scoring method. The assessment was totally based on subjective criteria after clinical observation and information given by patient's mother. The subjective gradation of symptoms was done as follows:

1. Ulceration (Mukha paka)

Grade	Number of Ulcer
0	Absent
1	1 to 3 ulcer
2	3 to 7 ulcer
3	More than 7 ulcer

2. Excessive Salivation (Lalastrav)

Grade	Assessment
0	No complaint
1	Complaint of salivation
2	Collection of saliva in mouth
3	Dribbling of saliva in mouth

3. Pain (Ruja)

Criteria	Assessment
0	No pain
1	Occasional pain
2	Pain while intake of cold food material
3	Continuous pain with or without food or water contact

RESULTS AND DISCUSSION

Probable mode of Action

Yashtimadhu Lepana offered beneficial effects in Mukhapaka due to its Madhur Rasa and Sheeta Virya. Yashtimadhu Lepana provides Shamana and Ropana Karma; it also helps to pacify vitiated Pitta and Rakta Dosha in Mukha-Roga. Sheeta Virya, Varna Ropan and Hara Daha properties of Yashtimadhu Lepana play vital role towards the therapeutic response in Mukhapaka. Veerya of Lepa enters effective site through Sira after being transformed through skin

which provides relief in pain and sensitization of ulcer.

The physico-chemical properties of drug in *Lepana* forms increases due to the trans-dermal delivery system which also enhances bioavailability of drug. The drug molecules of the formulation after penetrating through the stratum corneum into dermis produce characteristic pharmacological response through receptors faster than systemic circulation. Transdermal absorption sometimes provides delayed release of drug molecule due to moderate diffusion rate which

ultimately offers prolong and sustained effect of drug for longer duration.

Madhu is having qualities like Kashaya Rasa Pradhana, Vranya, Dahashamaka, Sandhankara, Kapha-Pitta Shamaka. Cumulatively Yastimadhu shows the action of Pitta Kapha Shamana, Rakta Prasadana, which is achieved to cure Mukhapaka (stomatitis). So, this drug is wisely balanced from the point of view of all Doshas to Mukhapaka. Because of its Rakta Prasadana Guna it reduces Raktaja Dushti, so it plays important role in Mukhapaka. This type of treatment is called as Dosha Pratyanika Chikitsa. Thus, we can claim this drug is significantly efficacious in treatment of Mukhapaka.

According to Ulceration:

Mukhapaka is a Vrana which happens due to bad habits or due to increase Doshas in body specially Pitta as Yashtimadhu is having the qualities of Madhur rasa, Sheeta virya and Pitta shamak which eventually re-

duced *Daha*, due to its *Ropan* action ulceration was reduced and improvement was seen 70% patients.

Effect of therapy on Lalasrava:

Yashtimadhu Lepana offers 75% improvement in Lalasrava which was found to be statistically significant (p<0.001). Lalasrava is because of increase Pitta dosha, due to Sheeta Virya of Yashthimadhu it reduces Srava This result of formulation may be attributed to the Varna Ropak and Sheeta Virya property of formulation which eventually reduces Pitta.

Effect of therapy on Ruja (Pain):

Yashtimadhu Lepana provides 69% relief in Ruja (Pain) which was also found statistically significant (p<0.001). Pain is due to increase Vata at the site, due to Vatahara properties of Yashtimadhu it results in lowering Ruja at the ulceration site. This effect of therapy attributed to the Vrana Ropaka and Sheeta Virya properties of Yashtimadhu which resulting Karmukata effect.





Before Treatment

After Treatment

CONCLUSION

Mukhapaka in modern parlance has similarity with stomatitis which is common mouth disorder. Yashtimadhu Churna is significantly effective in Mukhapaka (stomatitis) and got resolved faster without any complication. Yashtimadhu Lepana possesses the property of Shamana and Ropana Karma. Lepan of Yashtimadhu provides Shamana of Pitta and Rakta Dosha. Yashtimadhu Lepana improves oral hygiene

and reduces clinical symptoms of *Mukhapaka*. Signs and symptoms of *Mukhapaka* i.e. ulceration, excessive salivation, pain in mouth were also cured well. Improper personal hygiene, poor residential hygiene, poor living standards, unawareness about health are important etiological factors for infestation of *Mukhapaka*. Involvement of *Kaphaja Lakshanas* were more prevalent in the disease *Mukhapaka*. The results found with *Yashtimadhu Churna* and *Madhu* were encourag-

ing, and it was not associated with any side effect, so it can be used routinely in everyday practice for faster and safe recovery. Finally, this study concluded that *Yashtimadhu Lepana* may be employed for the management of *Mukhapaka*, however further study on large population also recommended.

REFERENCES

- Acharya Chakrapanidatta, Chakradatta with Vaidyaprabha Hindi commentary by Dr.Indradeva Tripathi, edited by Prof Ramanath Dwivedi, Published by Chaukhambha Sanskrit Sansthan, Varanasi, 4th edition, chapter 64/49,P-398,Pp-539.
- Sushruta Samhita, with Nibandha Sangraha commentary by Dalhana, foreword by Acharya Yadav ji Trikam ji. 8th edition. Varanasi; Choukhamba Sanskrit Sanasthan Nidansthana 16/12,37,39. P.No 382.
- 3. Sushruta Samhita, with Nibandha Sangraha commentary by Dalhana, foreword by Acharya Yadav ji Trikam ji. 8th edition. Varanasi; Choukhamba Sanskrit Sanasthan Nidansthana 16/03. P.No 381
- Indu, Astanga Sangraha, Shashilekha Sanskrit Commentry, Athavale A.P. Shrimad 1980, Atreya Prakashana, Uttar Sthana 25/65.
- Sharangadhara, Sharangadhara Samhita, with Adhamlla deepika and Kashirama Gudartha Deepika Commentary, edited by Pandit Parashuram Shastry. 2nd ed. Bombay: Nirnaya Sagara Press; 1931 Pratham bhag. 7/127
- Sushruta. Sushruta Samhita (English translation). P.V. Sharma (ed.), Reprint edition, Chaukhamba Vishvabharati Oriental, Varanasi, 2005; p.45.

Source of Support: Nil

Conflict of Interest: None Declared

How to cite this URL: Zishan Shaikh1, Sudeep S Menon: Role of Yashtimadhu Choorna With Madhu Lepana In The Management Of Mukhapaka. International Ayurvedic Medical Journal {online} 2021 {cited February, 2021} Available from:

http://www.iamj.in/posts/images/upload/350_354.pdf